



Goldie ss -supplemented modules

Fatih Gömleksiz ^a, Burcu Nişancı Türkmen ^b

^aGraduate School of Natural and Applied Sciences, Department of Mathematics, Amasya University, Amasya, Turkey

^bFaculty of Art and Science, Department of Mathematics, Ipekköy, Amasya University, Amasya, Turkey

Abstract

In this study, it has been determined the notion of Goldie ss -supplemented modules by the help of the relation β_{ss}^* , which is defined in the form $W\beta_{ss}^*Z$, which provides conditions both of $\frac{W+Z}{W} \subseteq \frac{Soc_s(A)+W}{W}$ and $\frac{W+Z}{Z} \subseteq \frac{Soc_s(A)+Z}{Z}$ for submodules W and Z of module A is an equivalence relation. The main features of Goldie ss -supplemented modules provided by this relation is examined. It is shown that the epimorphism $\gamma : A \rightarrow B$ provided the relation β_{ss}^* under certain conditions and the relation β_{ss}^* , is expressed in the maximal submodules. In addition, we obtain notions of Goldie ss -lifting modules using the relation β_{ss}^* and we prove several properties of notions of these modules.

Keywords: Socle of a module, semisimple module, ss -supplement, relation β_{ss}^*

2010 MSC: 16D10, 16D60, 16D99

1. Introduction

Unless otherwise specified in this study S denotes an associative ring having an identity element and all modules are unitary left S -modules. We show the submodule representation as $B \leq A$, where B is a submodule of A . It is denoted by $Rad(A)$ the Jacobson radical of A . A submodule C of a module A is said to be *small* in A (denoted by $C \ll A$) if $B + C \neq A$ for each proper submodule B of A . A is said to be *lifting* if for every submodule B of the module A there is a direct summand C of A for $C \subseteq B$ and $\frac{B}{C} \ll \frac{A}{C}$ (cf. [2]). A is said to be (ss -)supplemented if for each submodule B of the module A , there is a submodule C of A provided that $A = B + C$, $B \cap C \ll C$ (and $B \cap C$ is semisimple) (in this case C is ss -supplement of B in A) (cf. [5]). A is said to be ss -semilocal if for each submodule B of A , there is a submodule F of A provided that $A = B + F$, $B \cap F \ll A$ and $B \cap F$ is semisimple (cf. [7]). H -supplemented modules were introduced in [1] as a generalization of lifting modules. According to [1] A is said to be H -supplemented if for each submodule G of the module A there is a direct summand D of A provided that $G + W = A$ if and only if $D + W = A$ for every submodule W of A . In [1], it is proved that A is H -supplemented if and only if for every submodule G of A there exists a direct summand D of A provided that $\frac{G+D}{D} \ll \frac{A}{D}$ and $\frac{G+D}{G} \ll \frac{A}{G}$. The module A is said to be ss -lifting if, for every submodule D of A , A has a decomposition $A = T \oplus V$ such that $T \subseteq D$ and $D \cap V \subseteq Soc_s(V)$ (cf. [3]).

Let A be an S -module and $S(A) = \{W | W \leq A\}$. Then $W, Z \in S(A)$ over the set $S(A)$ under relation β^* is defined as follows.

†Article ID: MTJPAM-D-22-00037

Email addresses: action61@hotmail.com (Fatih Gömleksiz ) , burcu.turkmen@amasya.edu.tr (Burcu Nişancı Türkmen )

Received:14 November 2022, Accepted:10 May 2023, Published:11 June 2023

*Corresponding Author: Fatih Gömleksiz



$$W\beta^*Z \Leftrightarrow \frac{W+Z}{Z} \ll \frac{A}{Z} \text{ and } \frac{W+Z}{W} \ll \frac{A}{W}.$$

Let A be an S -module. A is said to be a *Goldie*-lifting module* (respectively, *Goldie*-supplemented*) if for each submodule B of A , there is a direct summand D of A (respectively, a supplement D in A) provided that $B\beta^*D$.

In [11], Zhou and Zhang generalized the notion of socle of a module B to that of $\text{Soc}_s(A)$ by considering the class of whole simple submodules of A that are small in A in place of the class of all simple submodules of A , that is,

$$\text{Soc}_s(A) = \sum \{B \ll A \mid B \text{ is a simple submodule of } A\}.$$

The section 2 is devoted to introducing the relation β_{ss}^* . We study some features of this relation and show that this relation is an equivalence relation. In section 3 we define Goldie- ss -supplemented and Goldie- ss -lifting modules. Using the study in [1] and based on the relation β_{ss}^* , we call A a Goldie- ss -lifting module (respectively, Goldie- ss -supplemented) if for any submodule B of A , there exists a direct summand D of A (respectively, ss -supplement D in A) so that $B\beta_{ss}^*D$. Clearly every Goldie- ss -lifting module is Goldie- ss -supplemented. Let $A = E \oplus H$ be a distributive module. Then A is Goldie- ss -supplemented (Goldie- ss -lifting) if and only if E and H are Goldie- ss -supplemented (Goldie- ss -lifting) (Theorem 3.5). Also we prove that the factor module of a Goldie- ss -lifting modules will be Goldie- ss -lifting modules by putting some special terms. Then we give the relations between Goldie- ss -supplemented and Goldie- ss -lifting with other types of supplemented modules.

2. The relation β_{ss}^*

In this section, we will define the relation β_{ss}^* and show that it is an equivalence relation. In order to classify the equivalence classes obtained according to this defined equivalence relation, Goldie- ss -supplemented modules will be defined in the next section.

Definition 2.1. Let W, Z be submodules of a module M . We define W and Z are equivalent by the relation β_{ss}^* , $W\beta_{ss}^*Z$, if and only if $\frac{W+Z}{W} \subseteq \frac{\text{Soc}_s(A)+W}{W}$ and $\frac{W+Z}{Z} \subseteq \frac{\text{Soc}_s(A)+Z}{Z}$.

Lemma 2.2. *The above relation β_{ss}^* is an equivalence relation.*

Proof. β_{ss}^* is reflexive: For every $W \leq A$ then, $\frac{W}{W} \subseteq \frac{\text{Soc}_s(A)+W}{W}$. So $W\beta_{ss}^*W$.

β_{ss}^* is Symmetric: Let's take the elements $W\beta_{ss}^*Z$ then, $\frac{W+Z}{W} \subseteq \frac{\text{Soc}_s(A)+W}{W}$ and $\frac{W+Z}{Z} \subseteq \frac{\text{Soc}_s(A)+Z}{Z}$ are held. It follows that $W + Z \subseteq \text{Soc}_s(A) + W$ and $W + Z \subseteq \text{Soc}_s(A) + Z$. Here $\frac{Z+W}{Z} \subseteq \frac{\text{Soc}_s(A)+Z}{Z}$ and $\frac{Z+W}{W} \subseteq \frac{\text{Soc}_s(A)+W}{W}$. Hence $Z\beta_{ss}^*W$ is obtained.

β_{ss}^* is transitive: Take $W\beta_{ss}^*Z$ and $Z\beta_{ss}^*X$. Then we get

$$\frac{W + Z}{W} \subseteq \frac{\text{Soc}_s(A) + W}{W}$$

and

$$\frac{W + Z}{Z} \subseteq \frac{\text{Soc}_s(A) + Z}{Z},$$

$$\frac{Z + X}{Z} \subseteq \frac{\text{Soc}_s(A) + Z}{Z}$$

and

$$\frac{Z + X}{X} \subseteq \frac{\text{Soc}_s(A) + X}{X}.$$

It follows from

$$W + Z \subseteq \text{Soc}_s(A) + W$$

and

$$W + Z \subseteq \text{Soc}_s(A) + Z,$$

$$Z + X \subseteq \text{Soc}_s(A) + Z$$

and

$$Z + X \subseteq \text{Soc}_s(A) + X \tag{2.1}$$

can be found,

$$W + X \subseteq \text{Soc}_s(A) + W$$

and

$$W + X \subseteq \text{Soc}_s(A) + X.$$

Thus $W\beta_{ss}^*X$. □

Proposition 2.3. *Let $\gamma : A \rightarrow B$ be an epimorphism. The following statements satisfy:*

(1) *If $W, Z \leq A$ and $W\beta_{ss}^*Z$, then $\gamma(W)\beta_{ss}^*\gamma(Z)$.*

(2) *If $W, Z \leq B$ and $W\beta_{ss}^*Z$, then $\gamma^{-1}(W)\beta_{ss}^*\gamma^{-1}(Z)$.*

(3) *If $W \leq A$, $W \subseteq \text{Soc}_s(A)$, $C \leq B$ and $\gamma(W)\beta_{ss}^*C$, then $W\beta_{ss}^*\gamma^{-1}(C)$.*

Proof. (1) Suppose that $W\beta_{ss}^*Z$ for $W, Z \leq A$. Then we have $W + Z \subseteq \text{Soc}_s(A) + W$ and $W + Z \subseteq \text{Soc}_s(A) + Z$. So $\gamma(W) + \gamma(Z) \subseteq \text{Soc}_s(B) + \gamma(W)$ and $\gamma(W) + \gamma(Z) \subseteq \text{Soc}_s(B) + \gamma(Z)$ implies that $\gamma(W)\beta_{ss}^*\gamma(Z)$.

(2) Let $W\beta_{ss}^*Z$ for $W, Z \leq B$. Then $W + Z \subseteq \text{Soc}_s(B) + W$ and $W + Z \subseteq \text{Soc}_s(B) + Z$. Since γ is an epimorphism $\gamma^{-1}(W) + \gamma^{-1}(Z) \subseteq \text{Soc}_s(A) + W$ and $\gamma^{-1}(W) + \gamma^{-1}(Z) \subseteq \text{Soc}_s(A) + Z$, it follows that $\gamma^{-1}(W)\beta_{ss}^*\gamma^{-1}(Z)$.

(3) Suppose that $\gamma(W)\beta_{ss}^*C \subseteq \text{Soc}_s(B)$, $C \leq B$. We have $\gamma(W) + C \subseteq \text{Soc}_s(B) + \gamma(W)$ and $\gamma(W) + C \subseteq \text{Soc}_s(B) + C$. It follows that $\gamma^{-1}(C) + W \subseteq \text{Soc}_s(A) + \gamma^{-1}(C)$ and $\gamma^{-1}(C) + W \subseteq \text{Soc}_s(A) + W$, because γ is an epimorphism and $W \subseteq \text{Soc}_s(A)$. Therefore, $W\beta_{ss}^*\gamma^{-1}(C)$. □

Proposition 2.4. *For submodules W , $J_1 \leq A$, $\text{Soc}_s(A) \subseteq J_2 < A$ such that, $J_1 + J_2 = A$ and $W\beta_{ss}^*J_1$, then $W \not\subseteq J_2$.*

Proof. Let's admit that $W \subseteq J_2$. Since $\text{Soc}_s(A) \subseteq J_2$, we have $W + J_2 = A$. By assumption, $J_2 = A$ contradiction then $W \not\subseteq J_2$. □

Proposition 2.5. *Let $W \leq C$ where C is a maximal submodule of A . If $W\beta_{ss}^*Z$ then $Z \subseteq C$.*

Proof. Let's admit that $Z \not\subseteq C$. Then $Z + C = A$. As $W\beta_{ss}^*Z$ and $\text{Soc}_s(A) \subseteq C$, we get $C + W = A$. But $W \subseteq C$ implies that $C = A$, a contradiction. □

Proposition 2.6. *Let $W_1, W_2, Z_1, Z_2 \leq A$ so that $W_1\beta_{ss}^*Z_1$ and $W_2\beta_{ss}^*Z_2$. Then*

$$(W_1 + W_2)\beta_{ss}^*(Z_1 + Z_2)$$

and

$$(W_1 + Z_2)\beta_{ss}^*(Z_1 + W_2).$$

Proof. Let's admit that $W_1\beta_{ss}^*Z_1$ and $W_2\beta_{ss}^*Z_2$. Then

$$W_1 + Z_1 \subseteq \text{Soc}_s(A) + W_1$$

and

$$W_1 + Z_1 \subseteq \text{Soc}_s(A) + Z_1,$$

$$W_2 + Z_2 \subseteq \text{Soc}_s(A) + W_2$$

and

$$W_2 + Z_2 \subseteq \text{Soc}_s(A) + Z_2.$$

By using these inclusions, it can be easily seen that

$$(W_1 + W_2)\beta_{ss}^*(Z_1 + Z_2)$$

and

$$(W_1 + Z_2)\beta_{ss}^*(Z_1 + W_2).$$

□

Corollary 2.7. Let $W, Z \leq A$ and $C \subseteq Soc_s(A)$. Then $W\beta_{ss}^*Z$ if and only if $W\beta_{ss}^*(Z + C)$.

Proof. (\Rightarrow) This implication follows from Proposition 2.6. and the fact that $0\beta_{ss}^*C$.

(\Leftarrow) Since $C \subseteq Soc_s(A)$, we have $Z\beta_{ss}^*(Z + C)$. Now this means that transitivity of the relation β_{ss}^* . □

Corollary 2.8. Let $W, Z_1, \dots, Z_n \leq A$. If $W\beta_{ss}^*Z_i$ for $i = 1, \dots, n$. Then $W\beta_{ss}^*\sum_{i=1}^n Z_i$.

Corollary 2.9. Let A be an S -module and $W, Z \leq A$. If $W\beta_{ss}^*Z$, for each submodule E of A so that $W + Z + E = A$ then $W + E = A$ and $X + E = A$.

Proof. Let $W\beta_{ss}^*Z$. Let's take any submodule E of A with $W + Z + E = A$. Then we have $W + Z + E = A$, $\frac{W+Z}{Z} + \frac{E+Z}{Z} = \frac{A}{Z}$. Since $\frac{W+Z}{Z} \ll \frac{A}{Z}$, we get $Z + E = A$ by the hypothesis. Similarly, it can be shown that $W + E = A$. □

Corollary 2.10. If $W, Z \leq A$ submodules which are semisimple and small in A and they are semisimple. Then $W\beta_{ss}^*Z$.

Proof. We shall prove that $\frac{W+Z}{Z} \subseteq Soc_s\left(\frac{A}{Z}\right)$, $\frac{W+Z}{W} \subseteq Soc_s\left(\frac{A}{W}\right)$. By [1, Theorem 2.3] $\frac{W+Z}{Z} \ll \frac{A}{Z}$ and $\frac{W+Z}{W} \ll \frac{A}{W}$. $\eta_1 : A \rightarrow \frac{A}{W}$ and $\eta_2 : A \rightarrow \frac{A}{Z}$ be natural homomorphisms. Since $\eta_1(W) = \frac{W+Z}{W}$ and $\eta_2(Z) = \frac{W+Z}{Z}$ is a homomorphic images of semisimple submodules $W, Z \leq A$, then $\frac{W+Z}{W}$ and $\frac{W+Z}{Z}$ are semisimple modules by [4, 8.1.5], as desired. □

3. Goldie-ss-supplemented modules

In this section, Goldie-ss-supplemented modules, which are defined as an intensification of Goldie*-supplemented modules defined in [1], will be studied and Goldie-ss-lifting modules, which are an intensification of Goldie-ss-supplemented modules, will be defined and their algebraic properties will be presented.

Definition 3.1. Let A be a module;

(1) We say A Goldie-ss-supplemented if for each submodule B of A , there is an ss-supplement submodule T in A provided that $B\beta_{ss}^*T$.

(2) We say A a Goldie-ss-lifting module if for each submodule B of A , there is a direct summand D of A provided that $B\beta_{ss}^*D$.

Proposition 3.2. Let A be a Goldie-ss-supplemented module. Then it is necessary and sufficient there is a ss-supplement submodule T of A provided that $T + Soc_s(A) = W + Soc_s(A)$ for each $W \leq A$.

Proof. (\Rightarrow) Let A be a Goldie-ss-supplemented module and $W \leq A$. Then, there is an ss-supplement submodule T of A so that $W + T \subseteq Soc_s(A) + W$ and $W + T \subseteq Soc_s(A) + T$. Then $T + Soc_s(A) \subseteq X + Soc_s(A)$ and $W + Soc_s(A) \subseteq T + Soc_s(A)$. It follows that $T + Soc_s(A) = W + Soc_s(A)$.

(\Leftarrow) It is obvious. □

Proposition 3.3. Let A be a module where is a ss-supplement submodule T of A and a $Q \subseteq Soc_s(A)$, provided that $W = T + Q$ for every $W \leq A$. Then A is Goldie-ss-supplemented.

Proof. We want to show that $W\beta_{ss}^*T$. By using the following two inclusions

$$W + T = T + Q \subseteq Soc_s(A) + T + Q = Soc_s(A) + W$$

and

$$W + T = T + Q + T \subseteq Soc_s(A) + T,$$

we get

$$\frac{W + T}{W} \subseteq \frac{Soc_s(A) + X}{W}$$

and

$$\frac{W + T}{T} \subseteq \frac{Soc_s(A) + T}{T},$$

as required. □

Proposition 3.4. *Let A be a Goldie- ss -supplemented module. Then there is an equality $W = T + Q$ is provided where T is ss -supplement in A and $Q \subseteq Soc_s(A)$ with $Soc_s(A) \subseteq W$ for each $W \leq A$.*

Proof. Let $W \leq A$ with $Soc_s(A) \subseteq W$. According to acceptance there is a ss -supplement submodule T of A so that $W\beta_{ss}^*T$. Then $T \subseteq W$ and $W = Soc_s(A) + (T \cap W) = Soc_s(A) + T$. This indicates that it is completed the proof. \square

Recall that a module A is *distributive* if the intersection is distributed over the sum for its submodules of the module, equivalently $B \cap (C + F) = (B \cap C) + (B \cap F)$ for submodules $C; F; N$ of B .

Theorem 3.5. *Let $A = E \oplus H$ be a module with A is a distributive module. Then A is a Goldie- ss -supplemented (Goldie- ss -lifting) module if and only if both of E and H are a Goldie- ss -supplemented (Goldie- ss -lifting) module.*

Proof. (\Rightarrow) Let $W \leq E$. Then there are submodules T, F of A provided that $T + F = A$ and $T \cap F \subseteq Soc_s(A)$ and $W\beta_{ss}^*T$. We must show that $W\beta_{ss}^*(E \cap T)$. As $W\beta_{ss}^*T$, we have $W + T \subseteq Soc_s(A) + W$ and $W + T \subseteq Soc_s(A) + T$. It follows that $W + (E \cap T) \subseteq Soc_s(E) + W$ and $W + (E \cap T) \subseteq (Soc_s(E) + (E \cap T) + (H \cap T) + (Soc_s(H)) \cap E$ because $W \subseteq E$. By modularity, $W + (E \cap T) \subseteq Soc_s(E) + W$ and $W + (E \cap T) \subseteq Soc_s(E) + (E \cap T)$. Thus $W\beta_{ss}^*(E \cap T)$. for $C, F, B \leq A$, according to acceptance $(E \cap T) + (E \cap F) = E$ and $(E \cap T) \cap (E \cap F) = E \cap T \cap F \subseteq Soc_s(E \cap T) \oplus Soc_s(H \cap T)$. This implies that $E \cap T \cap F \subseteq Soc_s(E \cap T)$. So $(E \cap T)$ is an ss -supplement of $(E \cap F)$ in E . And so, E is Goldie- ss -supplemented. Similarly, H is Goldie- ss -supplemented.

(\Leftarrow) Let $L \leq A$, $L_1 = E \cap L$ and $L_2 = H \cap L$. There is $F_1, T_1 \leq E$ provided that $F_1\beta_{ss}^*T_1$, $F_1 + T_1 = E$ and $F_1 \cap T_1 \subseteq Soc_s(T_1)$. Then we get $F_2, T_2 \leq H$ with $L_2\beta_{ss}^*T_2$, $F_2 + T_2 = H$ and $F_2 \cap T_2 \subseteq Soc_s(T_2)$. By Proposition 2.6, $L\beta_{ss}^*(T_1 + T_2)$. In addition, $T_1 + T_2 + F_1 + F_2 = A$ and $(T_1 + T_2) \cap (F_1 + F_2) = (T_1 \cap F_1) + (T_2 \cap F_2) \subseteq Soc_s(T_1) + Soc_s(T_2) \subseteq Soc_s(T_1 + T_2)$. This means that, $T_1 + T_2$ is an ss -supplement submodule in A . Thus A is Goldie- ss -supplemented. The proof for E and H being Goldie- ss -lifting module is similar. \square

Example 3.6. Let's get the ring $S = R[[a, b]]$ of formal power series over a field R with indeterminates a and b . Then S is a commutative noetherian local domain with maximal ideal $J = Sa + Sb$. It follows that the ring S is semiperfect. Since S is a domain, J is a uniform S -module. Then we get J is indecomposable. Now consider that J is a Goldie- ss -lifting module with $B \subsetneq J$ provided that that $B \not\subseteq Soc_s({}_S J)$. Then $B\beta_{ss}^*0$ or $N\beta_{ss}^*J$. So $B \subseteq Soc_s({}_S J)$ or $N = J$. Consequently, J is not a Goldie- ss -lifting module.

Proposition 3.7. *Let A_0 be a direct summand of a module A for each decomposition $A = B \oplus C$ of A' and B' of B and C' of C be submodules provided that $A = A_0 \oplus B' \oplus C'$. If A is a Goldie- ss -lifting module, then $\frac{A}{A_0}$ is a Goldie- ss -lifting module.*

Proof. Let $\frac{W}{A_0} \leq \frac{A}{A_0}$. As A is a Goldie- ss -lifting module, there is a decomposition $A = B \oplus C$ provided that $W\beta_{ss}^*B$. Then $\frac{W+B}{B} \subseteq \frac{Soc_s(A)+B}{B}$ and $\frac{W+B}{W} \subseteq \frac{Soc_s(A)+W}{W}$. By hypothesis, $A = A_0 \oplus B' \oplus C'$ for $B' \leq B$ and $C' \leq C$. It's obvious to see that $\frac{A_0 \oplus B'}{A_0}$ is a Goldie- ss -lifting module of $\frac{W}{A_0}$ in $\frac{A}{A_0}$. \square

Proposition 3.8. *Let A be a module. Then the following conditions are equivalent:*

- (1) A is a Goldie- ss -lifting module;
- (2) A is ss -semilocal and each direct summand of $\frac{A}{Soc_s(A)}$ lifts to a direct summand of A .

Proof. (1) \Rightarrow (2) It is clear that every Goldie- ss -lifting module is ss -semilocal. Now we're just proving the last one statement. Let $\frac{B}{Soc_s(A)} \leq \frac{A}{Soc_s(A)}$. Since A is a Goldie- ss -lifting module, there is a direct summand $D \leq A$ provided that $B\beta_{ss}^*D$, i.e. $\frac{B+D}{B} \subseteq \frac{Soc_s(A)+B}{B}$ and $\frac{B+D}{D} \subseteq \frac{Soc_s(A)+D}{D}$. So $D \subseteq B$. It follows from $\frac{B}{Soc_s(A)} = \frac{D+Soc_s(A)}{Soc_s(A)}$ that $\frac{B}{Soc_s(A)}$ lifts to D .

(2) \Rightarrow (1) Let $B \leq A$. Then according to acceptance, $\frac{B+Soc_s(A)}{Soc_s(A)} = \bar{B}$ is a direct summand of $\frac{A}{Soc_s(A)} = \bar{A}$. Therefore by (2), $\bar{B} = \bar{F}$ such that $A = F \oplus C$. The remaining part of the proof is seen by taking F is a Goldie- ss -lifting module of B in A . \square

Proposition 3.9. *Every amply ss -supplemented module is Goldie- ss -supplemented.*

Proof. Let A be amply ss -supplemented and $W \leq A$. Let $W \subseteq \text{Soc}_s(A)$. It is clear that condition $W\beta_{ss}^*0$ has been achieved. So assume that $W \not\subseteq \text{Soc}_s(A)$. As A is ss -semilocal, there is a submodule F of A provided that $W + F = A$ and $W \cap F \subseteq \text{Soc}_s(A)$. According to acceptance, there is an ss -supplement T of F in A containing in W . So $A = T + F$ and $T \cap F \subseteq \text{Soc}_s(A)$. We get $W = T + (F \cap W) \subseteq \text{Soc}_s(A) + T$ as $T \subseteq W$. It follows that $W\beta_{ss}^*T$. Therefore, A is Goldie- ss -supplemented. \square

Since π -projective ss -supplemented modules are amply ss -supplemented, we have the following corollary by using Proposition 3.9.

Corollary 3.10. *Every π -projective ss -supplemented module is Goldie- ss -supplemented.*

4. Conclusion

This article proposes a different equivalence relation in mathematics. The article has two main sections. In the first part, the classification of the defined equivalence relation with submodules is focused on. In the second part, the definition of two new classes of modules is provided by associating this equivalence relation with set-theoretic formulations with module structures. The article has been prepared to present the standard explanation of the mathematical concept of equivalence, which covers the concepts of equivalence relation and equivalence class, in module theory in a way that enriches it.

Acknowledgments

The authors would like to thank all the referees who contributed to the scientific development of our article. Some part of this paper has been presented at “The 5th Mediterranean International Conference of Pure & Applied Mathematics and Related Areas (MICOPAM 2022)” held in Antalya, Turkey on October 27-30, 2022.

Author Contributions: Burcu Nişancı Türkmen conceived and performed the analysis of the manuscript. Fatih Gömleksiz collected and contributed the data and wrote the paper.

Conflict of Interest: They have worked meticulously to avoid any conflict of interest in the conduct of the research in the article.

Funding (Financial Disclosure): There is no funding for this work.

References

- [1] G. F. Birkenmeier, F. T. Mutlu, C. Nebiyev, N. Sökmez and A. Tercan, *Goldie*-supplemented modules*, Glasg. Math. J. **52** (A), 41–52, 2010.
- [2] J. Clark, C. Lomp, N. Vanaja and R. Wisbauer, *Lifting modules: Supplements and projectivity in module theory*, Basel, Birkhauser, 2006.
- [3] F. Eryılmaz, *Ss-lifting modules and rings*, Miskolc Math. Notes **22** (2), 655–662, 2020.
- [4] F. Kasch, *Modules and rings*, Published for the London Mathematical Society by Academic Press Inc. (London) Ltd., 372, 1982.
- [5] E. Kaynar, H. Çalışıcı and E. Türkmen, *Ss-supplemented modules*, Commun. Fac. Sci. Univ. Ank. Ser. A1. Math. Stat. **69** (1), 473–485, 2020.
- [6] M. T. Koşan and D. Keskin, *H-supplemented Duo modules*, J. Algebra Appl. **6** (6), 965–971, 2007.
- [7] A. Olgun and E. Türkmen, *On a class of perfect rings*, Honam Math. J. **42** (3), 591–600, 2020.
- [8] D. W. Sharpe and P. Vamos, *Injective modules*, Lectures in Pure Mathematics University of Sheffield, The Great Britain, 190, 1972.
- [9] Y. Talebi, A. R. M. Hamzekolae and A. Tercan, *Goldie-Rad-supplemented modules*, An. Ştiinţ. Univ. “Ovidius” Constanţa Ser. Mat. **22** (3), 205–218, 2014.
- [10] R. Wisbauer, *Foundations of module and ring theory*, Gordon and Breach, Philadelphia, 600, 1991.
- [11] D. X. Zhou and X. R. Zhang, *Small-essential submodules and morita duality*, Southeast Asian Bull. Math. **35** (6), 1051–1062, 2011.